

Hyperline

CABLING SYSTEMS

Top Selling Items

New beginnings with traditional values




Bicsi[®]
CORPORATE
MEMBER

www.hyperline.com

info@hyperline.com

Cable

Category 5E




Category 5E 4-Pair, 24 AWG, Solid Riser

Available in Shielded

Part no. UTP4-C5E-SOLID-CMR-XX-305


Category 6



Category 6 4-Pair, 23 AWG, Solid Plenum

Part no. UTP4-C6-SOLID-HB2-CMP-XX-305


Category 6A



Category 6A 4-Pair, 23 AWG, Solid Riser

Available in Shielded


Part. No. UTP4-C6A-SOLID-CMR-XX-305



Category 6 4-Pair, 23 AWG, Solid Riser


Available in Shielded

Part no. UTP4-C6-SOLID-CMR-XX-305



Category 6A 4-Pair, 23 AWG, Solid Plenum

Part. No. UTP4-C6A-SOLID-HB2-CMP-XX-305



Category 6 4-Pair, 23 AWG, Solid Plenum

Available in Shielded

Part. No. UTP4-C6-SOLID-CMP-XX-305

*Colors available are:




XX = WH, BL, GY, OR,
GN, VT, BK, YL or RD

CMR = PVC/RISER

CMP = PLENUM

305 = 1000 feet /
305 meters

Coax Cable



Coaxial Cable, RG6, 18 AWG, 60% Braided, CMR Rated

Available in:

Part no. COAX-RG6-CMR-XX-305 (1000 FT Reel)


Part no. COAX-RG6-CMR-XX-PB-305 (1000 FT Pull Box)

***Colors available are:**



XX = WH or BK
 CMR = PVC/RISER
 305 = 1000 feet /
 305 meters

Speaker Wire



Unshielded Multi-Conductor, 14/2, 105 Strand



Unshielded Multi-Conductor, 16/2, 65 Strand

Available in 500 FT Pull Box, Riser

Part no. SPK2-14AWG-CU9-STR-CMR-XX-500F

Part no. SPK2-16AWG-CU9-STR-CMR-XX-500F

***Colors available are:**



Unshielded Multi-Conductor, 14/4, 105 Strand

Unshielded Multi-Conductor, 16/4, 65 Strand

Available in 500 FT Pull Box, Riser

Part no. SPK4-14AWG-CU9-STR-CMR-XX-500F

Part no. SPK4-16AWG-CU9-STR-CMR-XX-500F

Plugs

Plug for Cat 6 solid shielded cable



Field Installable Cat 6 Shielded Plug

Part no. PLUD-8P8C-S-C6-SH

Cat 5e Universal Plug



Cat 5e Universal Plug

Available in Cat 5 and Cat 6

Part no. PLUG-8P8C-U-XX-25

Plug for Cat 6a solid shielded cable



Field Installable Cat 6a Angle Shielded Plug

Part no. PLUD-A-8P8C-S-C6A-SH

Cat 6 Shielded Universal Plug



Cat 6 Shielded Universal Plug

Available in Cat 5 and Cat 6

Part no. PLUG-8P8C-U-XX-SH-25



Field Installable Cat 8 Angle Shielded Plug

Part no. PLUD-A-8P8C-S-C8-SH

Plug for Cat 8 solid shielded cable

Cable Managers/Patch Panels

Plastic/Metal



Horizontal cable manager 19" one side
Trunk with Cover

Available in 1U and 2U finger-canal
Part No. CM-XU-PLF-COV
XU = 1U OR 2U



Patch Panel 19" Modular 24
Ports 1U Rear Manager

Part no. PPBL3-19-24-1U-ML-RM



Patch Panel 19" Modular 24/48
Ports Plastic Body with Rear
Manager

Part no. PPBL4-19-24-RM
Part no. PPBL4-19-48-RM



19" Category 5e/6 Patch
Panel, RJ-45

Available in 24 or 48 port
Part no. PP3-19-AA-8P8C-C5E-110-LB
Part no. PP3-19-AA-8P8C-C6-110-LB
AA = 24 or 48

DÉCOR



Single Gang Décor Face Plate

Part no. FP-DEC-PL-1G-WH
Also available in double gang



Décor Single Gang Face Plate

Size 2.75" x 4.53"
Part no. FP-DEC-S-1G-WH



Décor Insert Plate

Available in 1, 2, 3, 4 and 6 Port
Part no. FP-DEC-IN-X-WH



Décor Insert Plate Blank

Part no. FP-DEC-IN-BL-WH



Single Gang Back Box/
Double Gang Back Box

Depth 0.92" - Part no. FP-DEC-BOX-0.92-WH
Depth 1.45" - Part no. FP-DEC-BOX-1.45-WH
Depth 1.8" - Part no. FP-DEC-BOX-1.8-WH
Depth 1.95" - Part no. FP-DEC-BOX-1.95-WH
Depth 1.8" Part no. FP-DEC-BOX-2-1.8-XX

Keystone Jacks



Category 5e RJ45 Unshielded
Available in Shielded
Part no. KJNE-8P8C-C5E-90-XX



Category 6A RJ45 Unshielded
Available in Shielded
Part no. KJNE-8P8C-C6A-90-XX



Category 6 RJ45 Unshielded
Available in Shielded
Part no. KJNE-8P8C-C6-90-XX

Tools



Crimping Tool for KJNE
Series Keystone Jack
Part no. HT-KJNE-TOOL

Replacement
Blade for KJNE
Crimping Tool
Part no. HT-KJNE-BLD

★Colors available are:



Coax Connectivity



Snap in F-Connector, 3G Nickel
Part no: KJ1-FCON-3G-N-WH-5



Snap in F-Connector, Nickel Plated
Part No. KJ1-FCON-N-WH-5



Snap in F-Connector, Gold Plated
Part no: KJ1-FCON-G-WH-5



F Male Connector for RG6 Cable,
Compression Type
Part no: CON-F-M-RG6-CMP-5

Patch Cords

Category 5e



Category 5e RJ45 Snagless
Unshielded Patch Cord
Available in Shielded
Part no. PC-LPM-UTP-RJ45-C5E-YYY-XX

Category 6 and 6A



Category 6 RJ45 Snagless
Unshielded Patch Cord
Available in Shielded
Part no. PC-LPM-UTP-RJ45-C6-YYY-XX
Part no. PC3-LPM-UTP-RJ45-C6-YYY-XX



Category 6A RJ45 Snagless Unshielded
Patch Cord
Available in Shielded
Part no. PC-LPM-UTP-RJ45-C6A-YYY-XX
Part no. PC3-LPM-UTP-RJ45-C6A-YYY-XX

*Colors available are:



WH

BL

GY



OR

GN

VT



BK

YL

RD

XX = WH, BL, GY, OR, GN, VT,
BK, YL or RD

YYY = 1, 3, 5, 7, 10, 15 or
25 feet

HDMI



18Gbps HDMI Patch cord with PE Jacket
Available in 3, 6, 10, 15, 25, 30, 35 & 50 ft
Part no. PC-HDMI-12ALMG-18Gbps-XX-BK

Surface Mount Box/Faceplates



Surface Mount Box
Available in 1 and 2 port
Part no. SBB3-X-WH
Note: Single or 25pcs/Pk



Insert for Modular Patch Panel
and RJ45 port
Available in white and ivory
Part No. KJ1-BL-WH-25

*Colors
available:



WH



IV

XX = WH or IV



Faceplate American Standard
2.8" x 4.5" With Label Window
Available in 1, 2, 3, 4 and 6 ports
Part # FP-UM-Y-XX



Faceplate American Standard
2.8" x 4.5" 3 Ports
Available in 1, 2, 3, 4 and 6 ports
Part # FP-U-Y-XX

Contact your local distributor



Canada (866) 634-9737